

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9823	touch adj pad	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:35
L2	90	touch adj pad with matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:36
L3	90	touch adj pad with matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:36
L4	2	(touch adj pad with matrix) and strain adj gauge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:36
L5	7	(touch adj pad with matrix) and (fsr or force adj sens\$3 adj resistors or piezoelectric adj sens\$3 or capacitive adj2 sens\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:36
L6	7	(touch adj pad with matrix) and (fsr or force adj sens\$3 adj resistors or piezoelectric adj sens\$3 or capacitive adj2 sens\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:36
L7	1	((touch adj pad with matrix) and (fsr or force adj sens\$3 adj resistors or piezoelectric adj sens\$3 or capacitive adj2 sens\$3) ) and strain adj gauge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:36
L8	45	((touch adj pad ) and strain adj gauges) and dsp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:37
L9	30036	touchpad or touch adj pad or mouse adj pad or key adj pad	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:37

L10	2165	(touchpad or touch adj pad or mouse adj pad or key adj pad) and (dsp or digital adj signal adj process\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:37
L11	136	((touchpad or touch adj pad or mouse adj pad or key adj pad) and (dsp or digital adj signal adj process\$4)) and strain adj gauge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:37
L12	46	((touchpad or touch adj pad or mouse adj pad or key adj pad) and (dsp or digital adj signal adj process\$4)) and strain adj gauges) and sens\$3 adj press\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:37
L13	9	((compar\$4 adj pressure) near3 (sensors) with location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:38
L14	2	touch adj pad with multi-point	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:38
L15	90	touch adj pad with matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:38
L16	7	(touch adj pad with matrix) and (fsr or force adj sens\$3 adj resistors or piezoelectric adj sens\$3 or capacitive adj2 sens\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:39
L17	1	((touch adj pad with matrix) and (fsr or force adj sens\$3 adj resistors or piezoelectric adj sens\$3 or capacitive adj2 sens\$3) ) and strain adj gauge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:39
L18	8	((touchpad or touch adj pad or mouse adj pad or key adj pad) and (simultaneous\$2 or concurrent\$3)) and (simultaneous\$2 or concurrent\$2) near touch\$4) and location near determin\$4) and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:39

L19	4	(multi adj point or multi-point) adj touch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:39
-----	---	--	---	----	----	------------------